

BILLING CODE 6560-50-P

ENVIRONMENTAL PROTECTION AGENCY

[EPA-HQ-OPPT-2017-0715; FRL-9977-48]

Certain New Chemical Substances; Receipt and Status Information for January 2018

AGENCY: Environmental Protection Agency (EPA).

ACTION: Notice.

SUMMARY: EPA is required under the Toxic Substances Control Act (TSCA), as amended by the Frank R. Lautenberg Chemical Safety for the 21st Century Act, to make information publicly available and to publish information in the Federal Register pertaining to submissions under TSCA Section 5, including notice of receipt of a Premanufacture notice (PMN), Significant New Use Notice (SNUN) or Microbial Commercial Activity Notice (MCAN), including an amended notice or test information; an exemption application under Biotech exemption; an application for a test marketing exemption (TME), both pending and/or concluded; a notice of commencement (NOC) of manufacture (including import) for new chemical substances; and a periodic status report on new chemical substances that are currently under EPA review or have recently concluded review. This document covers the period from January 1, 2018 to January 31, 2018.

DATES: Comments identified by the specific case number provided in this document must be received on or before [INSERT DATE 30 DAYS AFTER DATE OF PUBLICATION IN THE FEDERAL REGISTER].

ADDRESSES: Submit your comments, identified by docket identification (ID) number

EPA-HQ-OPPT-2017-0715, and the specific case number for the chemical substance related to your comment, by one of the following methods:

- Federal eRulemaking Portal: http://www.regulations.gov. Follow the online instructions for submitting comments. Do not submit electronically any information you consider to be Confidential Business Information (CBI) or other information whose disclosure is restricted by statute.
- Mail: Document Control Office (7407M), Office of Pollution Prevention and Toxics (OPPT), Environmental Protection Agency, 1200 Pennsylvania Ave., NW., Washington, DC 20460-0001.
- *Hand Delivery*: To make special arrangements for hand delivery or delivery of boxed information, please follow the instructions at http://www.epa.gov/dockets/contacts.html.

Additional instructions on commenting or visiting the docket, along with more information about dockets generally, is available at http://www.epa.gov/dockets.

FOR FURTHER INFORMATION CONTACT: For technical information contact: Jim Rahai, Information Management Division (MC 7407M), Office of Pollution Prevention and Toxics, Environmental Protection Agency, 1200 Pennsylvania Ave., NW., Washington, DC 20460-0001; telephone number: (202) 564-8593; email address: rahai.jim@epa.gov.

For general information contact: The TSCA-Hotline, ABVI-Goodwill, 422 South Clinton Ave., Rochester, NY 14620; telephone number: (202) 554-1404; email address: TSCA-Hotline@epa.gov.

SUPPLEMENTARY INFORMATION:

I. Executive Summary

A. What action is the Agency taking?

This document provides the receipt and status reports for the period from January 1, 2018 to January 31,2018. The Agency is providing notice of receipt of PMNs, SNUNs and MCANs (including amended notices and test information); an exemption application under 40 CFR part 725 (Biotech exemption); TMEs, both pending and/or concluded; NOCs to manufacture a new chemical substance; and a periodic status report on new chemical substances that are currently under EPA review or have recently concluded review.

EPA is also providing information on its web site about cases reviewed under the amended TSCA, including the section 5 PMN/SNUN/MCAN and exemption notices received, the date of receipt, the final EPA determination on the notice, and the effective date of EPA's determination for PMN/SNUN/MCAN notices on its web site at:

https://www.epa.gov/reviewing-new-chemicals-under-toxic-substances-control-act-tsca/status-pre-manufacture-notices. This information is updated on a weekly basis.

B. What is the Agency's authority for taking this action?

Under the Toxic Substances Control Act (TSCA), 15 U.S.C. 2601 *et seq.*, a chemical substance may be either an "existing" chemical substance or a "new" chemical substance. Any chemical substance that is not on EPA's TSCA Inventory of Chemical Substances (TSCA Inventory) is classified as a "new chemical substance," while a chemical substance that is listed on the TSCA Inventory is classified as an "existing chemical substance." (See TSCA section 3(11).) For more information about the TSCA Inventory go to: *https://www.epa.gov/tsca-inventory*.

Any person who intends to manufacture (including import) a new chemical substance for a non-exempt commercial purpose, or to manufacture or process a chemical substance in a non-exempt manner for a use that EPA has determined is a significant new use, is required by TSCA section 5 to provide EPA with a PMN, MCAN or SNUN, as appropriate, before initiating the activity. EPA will review the notice, make a risk determination on the chemical substance or significant new use, and take appropriate action as described in TSCA section 5(a)(3).

TSCA section 5(h)(1) authorizes EPA to allow persons, upon application and under appropriate restrictions, to manufacture or process a new chemical substance, or a chemical substance subject to a significant new use rule (SNUR) issued under TSCA section 5(a)(2), for "test marketing" purposes, upon a showing that the manufacture, processing, distribution in commerce, use, and disposal of the chemical will not present an unreasonable risk of injury to health or the environment. This is referred to as a test marketing exemption, or TME. For more information about the requirements applicable to a new chemical go to: http://www.epa.gov/oppt/newchems.

Under TSCA sections 5 and 8 and EPA regulations, EPA is required to publish in the **Federal Register** certain information, including notice of receipt of a PMN/SNUN/MCAN (including amended notices and test information); an exemption application under 40 CFR part 725 (biotech exemption); an application for a TME, both pending and concluded; NOCs to manufacture a new chemical substance; and a periodic status report on the new chemical substances that are currently under EPA review or have recently concluded review.

C. Does this action apply to me?

This action provides information that is directed to the public in general.

- D. Does this action have any incremental economic impacts or paperwork burdens?

 No.
- E. What should I consider as I prepare my comments for EPA?
- 1. Submitting confidential business information (CBI). Do not submit this information to EPA through regulations.gov or email. Clearly mark the part or all of the information that you claim to be CBI. For CBI information in a disk or CD-ROM that you mail to EPA, mark the outside of the disk or CD-ROM as CBI and then identify electronically within the disk or CD-ROM the specific information that is claimed as CBI. In addition to one complete version of the comment that includes information claimed as CBI, a copy of the comment that does not contain the information claimed as CBI must be submitted for inclusion in the public docket. Information so marked will not be disclosed except in accordance with procedures set forth in 40 CFR part 2.
- 2. *Tips for preparing your comments*. When preparing and submitting your comments, see the commenting tips at *http://www.epa.gov/dockets/comments.html*.

II. Status Reports

In the past, EPA has published individual notices reflecting the status of TSCA section 5 filings received, pending or concluded. In 1995, the Agency modified its approach and streamlined the information published in the **Federal Register** after providing notice of such changes to the public and an opportunity to comment (See the **Federal Register** of May 12, 1995, (60 FR 25798) (FRL-4942-7). Since the passage of the Lautenberg amendments to TSCA in 2016, public interest in information on the status of section 5 cases under EPA review and, in particular, the final determination of such

cases, has increased. In an effort to be responsive to the regulated community, the users of this information, and the general public, to comply with the requirements of TSCA, to conserve EPA resources and to streamline the process and make it more timely, EPA is providing information on its web site about cases reviewed under the amended TSCA, including the section 5 PMN/SNUN/MCAN and exemption notices received, the date of receipt, the final EPA determination on the notice, and the effective date of EPA's determination for PMN/SNUN/MCAN notices on its web site at:

https://www.epa.gov/reviewing-new-chemicals-under-toxic-substances-control-act-tsca/status-pre-manufacture-notices. This information is updated on a weekly basis.

III. Receipt Reports

For the PMN/SNUN/MCANs received by EPA during this period, Table I provides the following information (to the extent that such information is not subject to a CBI claim) on the notices received by EPA during this period: The EPA case number assigned to the notice, a notation of whether the submission is an initial submission, or an amendment, a notation of which version was received, the date the notice was received by EPA, the submitting manufacturer (i.e., domestic producer or importer), the potential uses identified by the manufacturer in the notice, and the chemical substance identity.

As used in each of the tables in this unit, (S) indicates that the information in the table is the specific information provided by the submitter, and (G) indicates that this information in the table is generic information because the specific information provided by the submitter was claimed as CBI. Submissions which are initial submissions will not have a letter following the case number and the version column will note "Initial submission". Submissions which are amendments to previous submissions will have a

case number followed by the letter "A" (e.g. **P-18-1234A**). The version column designates submissions in sequence as "1", "2", "3", etc. Note that in some cases, an initial submission is not numbered as version 1; this is because earlier version(s) were rejected as incomplete or invalid submissions. Note also that future versions of the following tables may adjust slightly as the Agency works to automate population of the data in the tables.

Table I.- PMN/SNUN/MCANs Received from 1/2/2018 to 1/31/2018

Case No.	Version	Received Date	Manufacturer	Use	Chemical Substance
P-16- 0404A	3	1/22/2018	СВІ	(G) A colorant for dyeing various synthetic fibers and fabrics. Open, non-dispersive use.	(G) Alkyl ester, 2- ({4-[2-(trisubstituted phenyl)azo]-5- acetamido-2- substitutedphenyl} (substituted alkoxy)amino)
P-16- 0405A	6	1/25/2018	CBI	(G) A colorant for dyeing various synthetic fibers and fabrics. Open, non-dispersive use.	(G) Alkyl ester, 2- ({5-acetamido-2- alkoxy-4-[2- (substituted-2,1- benzothiazol-3- yl)azo] pheny]}(disubstituted)amino),
P-16- 0408A	3	1/25/2018	CBI	(G) A colorant for dyeing various synthetic fibers and fabrics. Open, non-dispersive use.	(G) 3- Pyridinecarbonitrile, 1,2-dihydro- trisubstituted-5-[2- (disubstituted phenyl)azo]-2-oxo,
P-16- 0421A	3	1/17/2018	Guardian Industries Corp.	(S) Additive to facilitate melting of sand during manufacture of glass.	(S) Flue dust, glass manufg. desulfurization
P-17- 0221A	3	1/17/2018	СВІ	(G) Coating polymer	(G) Alkylheterocyclic amine blocked isocyanate,

					alkoxysilane polymer
D 15		1/12/2010	GD.	(G) W	(G) P. I. II
P-17- 0281A	6	1/12/2018	CBI	(G) Water reducible resin	(G) Polysiloxane- polyester polyol carboxylate,
P-17- 0282A	6	1/12/2018	Elantas PDG, Inc.	(S) This is a component of a mixture that is used as an impregnating varnish for stators and motors.	(S) Isocyanic acid, polymethylenepolyph enylene ester, caprolactam- and phenol-blocked
P-17- 0319A	6	1/26/2018	Inolex Chemical Company	(S) This material will be used an emollient for a fabric softener/conditioning product.	(S) L-Isoleucine, C18-22-alkyl esters, ethanesulfonates
P-17- 0385A	4	1/23/2018	Al-Fares Corp.	(S) Cleaning product for detailing vehicles. Industrial use emollient	(S) Carbonic acid, bis(2-ethylhexyl) ester
P-17- 0424A	2	1/4/2018	Johnson Matthey Inc.	(S) Tracer chemical: used as a tracer in water solution to measure flow in deep oil or gas bearing strata; when in a solid blend with polymer to measure flow in deep oil or gas bearing strata; or in a solid proppant bead form used to measure flow in deep oil or gas bearing strata.	(S) Benzoic acid, 2-chloro-3-methyl-, sodium salt (1:1)
P-17- 0425A	2	1/4/2018	Johnson Matthey Inc.	(S) Tracer chemical: used as a tracer in water solution to measure flow in deep oil or gas bearing strata; when in a solid blend with polymer to	(S) Benzoic acid, 3-chloro-2-methyl-, sodium salt (1:1)

				measure flow in deep oil or gas bearing strata; or in a solid proppant bead form used to measure flow in deep oil or gas bearing strata.	
P-17- 0426A	2	1/4/2018	Johnson Matthey Inc.	(S) Tracer chemical: used as a tracer in water solution to measure flow in deep oil or gas bearing strata; when in a solid blend with polymer to measure flow in deep oil or gas bearing strata; or in a solid proppant bead form used to measure flow in deep oil or gas bearing strata.	(S) Benzoic acid, 3-chloro-4-methyl-, sodium salt (1:1)
P-17- 0427A	2	1/4/2018	Johnson Matthey Inc.	(S) Tracer chemical: used as a tracer in water solution to measure flow in deep oil or gas bearing strata; when in a solid blend with polymer to measure flow in deep oil or gas bearing strata; or in a solid proppant bead form used to measure flow in deep oil or gas bearing strata.	(S) Benzoic acid, 2-chloro-5-methyl-, sodium salt (1:1)
P-17- 0428A	2	1/4/2018	Johnson Matthey Inc.	(S) Tracer chemical: used as a tracer in water solution to measure flow in deep oil or gas bearing strata;	(S) Benzoic acid, 4-chloro-2-methyl-, sodium salt (1:1)

				when in a solid blend with polymer to measure flow in deep oil or gas bearing strata; or in a solid proppant bead form used to measure flow in deep oil or gas bearing strata.	
P-17- 0429A	2	1/4/2018	Johnson Matthey Inc.	(S) Tracer chemical: used as a tracer in water solution to measure flow in deep oil or gas bearing strata; when in a solid blend with polymer to measure flow in deep oil or gas bearing strata; or in a solid proppant bead form used to measure flow in deep oil or gas bearing strata.	(S) Benzoic acid, 3-fluoro-2-methyl-, sodium salt (1:1)
P-17- 0430A	2	1/4/2018	Johnson Matthey Inc.	(S) Tracer chemical: used as a tracer in water solution to measure flow in deep oil or gas bearing strata; when in a solid blend with polymer to measure flow in deep oil or gas bearing strata; or in a solid proppant bead form used to measure flow in deep oil or gas bearing strata.	(S) Benzoic acid, 3-fluoro-4-methyl-, sodium salt (1:1)
P-17- 0431A	2	1/4/2018	Johnson Matthey Inc.	(S) Tracer chemical: used as a tracer in water solution to measure flow in deep	(S) Benzoic acid, 4- fluoro-2-methyl-, sodium salt (1:1)

				oil or gas bearing strata; when in a solid blend with polymer to measure flow in deep oil or gas bearing strata; or in a solid proppant bead form used to measure flow in deep oil or gas bearing strata.	
P-17- 0432A	2	1/4/2018	Johnson Matthey Inc.	(S) Tracer chemical: used as a tracer in water solution to measure flow in deep oil or gas bearing strata; when in a solid blend with polymer to measure flow in deep oil or gas bearing strata; or in a solid proppant bead form used to measure flow in deep oil or gas bearing strata.	(S) Benzoic acid, 2-fluoro-4-methyl-, sodium salt (1:1)
P-17- 0433A	2	1/4/2018	Johnson Matthey Inc.	(S) Tracer chemical: used as a tracer in water solution to measure flow in deep oil or gas bearing strata; when in a solid blend with polymer to measure flow in deep oil or gas bearing strata; or in a solid proppant bead form used to measure flow in deep oil or gas bearing strata.	(S) Benzoic acid, 2-fluoro-3-methyl-, sodium salt (1:1)

P-17- 0434A	2	1/4/2018	Johnson Matthey Inc.	(S) Tracer chemical: used as a tracer in water solution to measure flow in deep oil or gas bearing strata; when in a solid blend with polymer to measure flow in deep oil or gas bearing strata; or in a solid proppant bead form used to measure flow in deep oil or gas bearing strata.	(S) Benzoic acid, 2,3,6-trifluoro-, sodium salt (1:1)
P-17- 0435A	2	1/4/2018	Johnson Matthey Inc.	(S) Tracer chemical: used as a tracer in water solution to measure flow in deep oil or gas bearing strata; when in a solid blend with polymer to measure flow in deep oil or gas bearing strata; or in a solid proppant bead form used to measure flow in deep oil or gas bearing strata.	(S) Benzoic acid, 3-fluoro-2- (trifluoromethyl)-, sodium salt(1:1);
P-17- 0436A	2	1/4/2018	Johnson Matthey Inc.	(S) Tracer chemical: used as a tracer in water solution to measure flow in deep oil or gas bearing strata; when in a solid blend with polymer to measure flow in deep oil or gas bearing strata; or in a solid proppant bead form used to measure flow in deep	(S) Benzoic acid, 2-fluoro-4-(trifluoromethyl)-, sodium salt (1:1);

				oil or gas bearing strata.	
P-17- 0437A	2	1/4/2018	Johnson Matthey Inc.	(S) Tracer chemical: used as a tracer in water solution to measure flow in deep oil or gas bearing strata; when in a solid blend with polymer to measure flow in deep oil or gas bearing strata; or in a solid proppant bead form used to measure flow in deep oil or gas bearing strata.	(S) Benzoic acid, 2-fluoro-6-(trifluoromethyl)-, sodium salt (1:1);
P-17- 0438A	2	1/4/2018	Johnson Matthey Inc.	(S) Tracer chemical: used as a tracer in water solution to measure flow in deep oil or gas bearing strata; when in a solid blend with polymer to measure flow in deep oil or gas bearing strata; or in a solid proppant bead form used to measure flow in deep oil or gas bearing strata.	(S) Benzoic acid, 3-fluoro-5-(trifluoromethyl)-, sodium salt (1:1);
P-17- 0439A	2	1/4/2018	Johnson Matthey Inc.	(S) Tracer chemical: used as a tracer in water solution to measure flow in deep oil or gas bearing strata; when in a solid blend with polymer to measure flow in deep oil or gas bearing strata; or	(S) Benzoic acid, 4-fluoro-3-(trifluoromethyl)-, sodium salt (1:1);

				in a solid proppant	
				bead form used to	
				measure flow in deep	
				oil or gas bearing	
				strata.	
P-17- 0440A	2	1/4/2018	Johnson Matthey Inc.	(S) Tracer chemical: used as a tracer in water solution to measure flow in deep oil or gas bearing strata; when in a solid blend with polymer to measure flow in deep oil or gas bearing strata; or in a solid proppant bead form used to measure flow in deep oil or gas bearing strata.	(S) Benzoic acid, 4- fluoro-2- (trifluoromethyl)-, sodium salt (1:1)
P-18- 0020A	2	1/23/2018	Myriant Corporation	(G) Industrial coating	(S) Butanediolic acid, polyol with 2-ethyl-2- (hydroxymethyl)-1,3- propanediol, 2,5- Furandione and 1,3- propanediol, 3a,4,5,6,7,7a- hexahydro-4,7- methano-1H-inden- 5(or 6)-yl ester
P-18- 0036A	3	1/24/2018	CBI	(G) Water repellant	(S) Siloxanes and Silicones, di-Me, 3- [3-carboxy-2(or 3)- (octenyl)-1- oxopropoxy]propyl group-terminated
P-18- 0041A	2	1/3/2018	Myriant Corporation	(G) Intermediate polyol for further reaction	(S) 2,5-Furandione, polymer with 2-ethyl- 2-(hydroxymethyl)- 1,3-propanediol, 3a,4,5,6,7,7a- hexahydro-4,7-

					mathana
					methano-
					1H-inden-5(or 6)-yl
					ester, ester with 2,3-
					dihydroxypropyl
D 10	2	1/22/2010	3.6 : .	(0)	neodecanoate
P-18-	3	1/23/2018	Myriant	(G)	(S)
0041A			Corporation	Intermediate polyol	2,5-Furandione,
				for further reaction	polymer with 2-ethyl-
					2-(hydroxymethyl)-
					1,3-propanediol,
					3a,4,5,6,7,7a-
					hexahydro-4,7-
					methano-
					1H-inden-5(or 6)-yl
					ester, ester with 2,3-
					dihydroxypropyl
					neodecanoate
P-18-	4	1/29/2018	Myriant	(G)	(S)
0041A			Corporation	Intermediate polyol	2,5-Furandione,
				for further reaction	polymer with 2-ethyl-
					2-(hydroxymethyl)-
					1,3-propanediol,
					3a,4,5,6,7,7a-
					hexahydro-4,7-
					methano-
					1H-inden-5(or 6)-yl
					ester, ester with 2,3-
					dihydroxypropyl
					neodecanoate
P-18-	3	1/3/2018	Myriant	(G)	(S)
0042A			Corporation	Industrial coating	2,5-Furandione,
			•		polymer with 2-ethyl-
					2-(hydroxymethyl)-
					1,3-propanediol,
					3a,4,5,6,7,7a-
					hexahydro-4,7-
					methano-1H-inden-
					5(or 6)-yl ester, ester
					with 2,3-
					dihydroxypropyl
					neodecanoate,
					polymer with 5-
					isocyanato-1-
					(isocyanatomethyl)-
					1,3,3-
					trimethylcyclohexane
L		<u> </u>		1	a mineri y le y el one Aune

		<u> </u>		T	
					, 2-hydroxyethyl
					acrylate- and 2-
					hydroxyethyl
					methacrylate-blocked
P-18-	4	1/23/2018	Myriant	(G)	(S)
0042A			Corporation	Industrial coating	2,5-Furandione,
					polymer with 2-ethyl-
					2-(hydroxymethyl)-
					1,3-propanediol,
					3a,4,5,6,7,7a-
					hexahydro-4,7-
					methano-1H-inden-
					5(or 6)-yl ester, ester
					with 2,3-
					dihydroxypropyl
					neodecanoate,
					polymer with 5-
					isocyanato-1-
					(isocyanatomethyl)-
					1,3,3-
					trimethylcyclohexane
					, 2-hydroxyethyl
					acrylate- and 2-
					hydroxyethyl
D 10		1/20/2019	M	(C) In descript a series	methacrylate-blocked
P-18-	5	1/29/2018	Myriant	(G) Industrial coating	(S)
0042A			Corporation		2,5-Furandione,
					polymer with 2-ethyl-
					2-(hydroxymethyl)-
					1,3-propanediol,
					3a,4,5,6,7,7a-
					hexahydro-4,7-
					methano-1H-inden-
					5(or 6)-yl ester, ester
					with 2,3-
					dihydroxypropyl
					neodecanoate,
					polymer with 5-
					isocyanato-1-
					(isocyanatomethyl)-
					1,3,3-
					trimethylcyclohexane
					, 2-hydroxyethyl
					acrylate- and 2-
					hydroxyethyl
					methacrylate-blocked

7.10		1 10 10 10		[(a) a	
P-18- 0058A	2	1/8/2018	СВІ	(S) Component of electroconductive low-noise grease for long-term lubrication	(S) Phosphonium, trihexyltetradecyl-, salt with 1,1,1- trifluoro-n-
				of capped or sealed ball bearings.	[(trifluoromethyl)sulf onyl]methanesulfona mide (1:1)
P-18- 0070	3	1/4/2018	Arrowstar, LLC	(G) Chemical intermediate for polyurethane industry	(G) Waste plastics, polyester, depolymd. with glycols, polymers with dicarboxylic acids
P-18- 0070A	5	1/16/2018	Arrowstar, LLC	(G) Chemical intermediate for polyurethane industry	(G) Waste plastics, polyester, depolymd. with glycols, polymers with dicarboxylic acids
P-18- 0082	2	1/12/2018	Cytec Industries Inc.	(S) Isolated intermediate used in the manufacture of a surface-active agent	(G) Aspartic acid, tallow modified diester
P-18- 0083	1	1/3/2018	CBI	(G) Dispersant additive	(S) 2-propenoic acid, telomers with bu alc2-[(2-propen-1-yloxy)methyl]oxirane reaction products, sodium bisulfite and sodium 2-hydroxy-3-(2-propen-1-yloxy)-1-propanesulfonate (1:1), sodium salts, peroxydisulfuric acid ([(ho)s(o)2]2o2) sodium salt (1:2)-initiated
P-18- 0083A	5	1/8/2018	CBI	(G) Dispersant additive	(S) 2-propenoic acid, telomers with bu alc2-[(2-propen-1-yloxy)methyl]oxirane reaction products, sodium bisulfite and sodium 2-hydroxy-3-(2-propen-1-yloxy)-1-propanesulfonate (1:1), sodium salts, peroxydisulfuric acid

			1		1
					([(ho)s(o)2]2o2)
					sodium salt (1:2)-
					initiated
P-18-	1	1/8/2018	CBI	(G) Industrial use in	(G) Fatty acids
0085				oilfied	reaction products
					with ethyleneamines
					and dialkyl ester
P-18-	1	1/10/2018	CBI	(S) Intermediate for a	(G) Propanenitrile,
0086				polyurethane catalyst	polyalkylpolyamine,
D 10	1	1/11/2010	C	(0) 1111	(0) 1
P-18-	1	1/11/2018	Genesee	(S) UV curing agent,	(S) 1-propanethiol,
0087			Polymers	silicone rubber cross	3,3'-(1,1,3,3-
			Corporation	linker	tetramethyl-1,3-
D 10		1/22/2010	C	(0) III '	disiloxanediyl)bis-
P-18-	2	1/22/2018	Genesee	(S) UV curing agent,	(S) 1-propanethiol,
0087A			Polymers	silicone rubber cross	3,3'-(1,1,3,3-
			Corporation	linker	tetramethyl-1,3-
D 10	1	1/1/2010	CDI	(C) O'1 1	disiloxanediyl)bis-
P-18-	1	1/16/2018	CBI	(G) Oil and gas	(G) Di(substituted-
0088				production	1,3-
					trialkylammonium)
					dialkylammonium salt
P-18-	1	1/17/2018	Preschooltourinc	(C) Water reducing	
0090	1	1/1//2018	Preschooltouring	(S) Water reducing agent for use in	(G) Alkenoic acid, alkyl-, polymer with
0090				concrete.	alkenoic acid, ester
				concrete.	with .alphaalkyl-
					.omega
					hydroxypoly(oxy-
					1,2-ethanediyl), salt
P-18-	1	1/17/2018	Resinate	(S) Intermediate for	(G) Vegetable oil,
0091	1	1/17/2010	Materials Group,	use in the	polymers with
0071			Inc.	manufacture of	diethylene glycol-
			me.	polymers.	and polyol- and
				porymers.	polyethylene glycol-
					depolymd.
					poly(ethylene
					terephthalate) waste
					plastics and
					arylcarboxylic acid
					anhydride
P-18-	2	1/26/2018	Shell chemical lp	(G) The TBPMI	(S) Tri-butyl methyl
0092	-	2, 20, 2010	- martinez	chemical is used as a	phosphonium iodide
			catalyst plant	catalyst, the catalyst	T TT-T-T-T-T-T-T-T-T-T-T-T-T-T-T-T-T-T-
			J 33335 J 34 P 24335	is imported and used	
				in the manufacture of	
1		1	1		1

				monoethlyene glycol (MEG).	
P-18- 0093	1	1/23/2018	CBI	(G) Additive to plastics	(G) Pentacyclo[9.5.1.13,9 .15,15.17,13]octasilo xane, 1,3,5,7,9,11,13,15- octakis (polyfluoroalkyl)-
P-18- 0093A	2	1/24/2018	СВІ	(G) Additive to plastics	(G) Pentacyclo[9.5.1.13,9 .15,15.17,13]octasilo xane, 1,3,5,7,9,11,13,15- octakis (polyfluoroalkyl)-
P-18- 0094	1	1/23/2018	CBI	(G) Additive to plastics	(G) Pentacyclo[9.5.1.13,9 .15,15.17,13]octasilo xanealkylsubstituted, 3,5,7,9,11,13,15- heptakis(polyfluoroal kyl)-
P-18- 0094A	2	1/24/2018	CBI	(G) Additive to plastics	(G) Pentacyclo[9.5.1.13,9 .15,15.17,13]octasilo xanealkylsubstituted, 3,5,7,9,11,13,15- heptakis(polyfluoroal kyl)-
P-18- 0095	1	1/23/2018	СВІ	(G) Additive to plastics	(G) Pentacyclo[9.5.1.13,9 .15,15.17,13]octasilo xanealkanol, 3,5,7,9,11,13,15- heptakis(polyfluoroal kyl)-, acetate
P-18- 0095A	2	1/24/2018	CBI	(G) Additive to plastics	(G) Pentacyclo[9.5.1.13,9 .15,15.17,13]octasilo xanealkanol, 3,5,7,9,11,13,15- heptakis(polyfluoroal kyl)-, acetate

P-18- 0096	1	1/23/2018	Allnex USA Inc.	(G) UV cured coating resin	(G) Halosubstituted carbopolycycle, polymer with substituted carbomonocycles and
P-18- 0096A	2	1/24/2018	Allnex USA Inc.	(G) UV cured coating resin	oxybis[alkanol] (G) Halosubstituted carbopolycycle, polymer with substituted carbomonocycles and oxybis[alkanol]
P-18- 0096A	3	1/24/2018	Allnex USA Inc.	(G) UV cured coating resin	(G) Halosubstituted carbopolycycle, polymer with substituted carbomonocycles and oxybis[alkanol]
P-18- 0097	1	1/24/2018	MANE USA	(S) Maderal is a fragrance that will be added to consumer care products, personal care products, fine fragrances.	(S) 1,3-dioxane, 2- (3,3-dimethyl-1- cyclohexen-1-yl)- 2,5,5-trimethly-
P-18- 0098	1	1/24/2018	Allnex USA Inc.	(S) Dispersing additive for pigments	(G) Polyphosphoric acids, polymers with (alkoxyalkoxy)alkano l and substituted heteromonocycle
P-18- 0099	1	1/25/2018	CBI	(G) Photoinitiator	(S) Methanone,1,1'- (diethylgermylene)bis (1-(4- methoxyphyenyl)
P-18- 0100	1	1/26/2018	Allnex USA Inc.	(G) UV curable coating resin	(G) Substituted alkanoic acid polymer with alkylcarbonate, alkanediols and isocyanate substituted carbomonocycles, sodium salt, alkanoic acid-substituted polyol reaction products-blocked

P-18- 0101	3	1/30/2018	СВІ	(G) Industrial	(G) Pentaerythritol, mixed esters with linear and branched fatty acids
P-18- 0102	1	1/26/2018	Allnex USA Inc.	(G) UV curable coating Resin	(G) Alkanoic acid, ester with [oxybis(alkylene)]bis [alkyl-substituted alkanediol], polymer with alkylcarbonate, alkanediols, substituted alkanoic acid and isocyanate and alkyl substituted carbomonocycle, sodium salt
J-18- 0001A	2	1/3/2018	Zea 2, LLC	(S) For the production of L-alanine	(G) modified Corynebacterium glutamicum

In Table II. of this unit, EPA provides the following information (to the extent that such information is not subject to a CBI claim) on the TMEs received by EPA during this period: The EPA case number assigned to the TME, the submission document type (initial or amended), the version number, the date the TME was received by EPA, the submitting manufacturer (i.e., domestic producer or importer), the potential uses identified by the manufacturer in the TME, and the chemical substance identity.

Table II.— TMEs and Biotech Exemptions Received from 1/2/2018 to 1/31/2018

Case No.	Version	Received Date	Manufacturer	Use	Chemical Substance
T-18-	2	1/30/2018	CBI	(G)	(G)
0002				Industrial use	esters with linear and
					branched fatty acids,

In Table III. of this unit, EPA provides the following information (to the extent that such information is not claimed as CBI) on the NOCs received by EPA during this

period: The EPA case number assigned to the NOC, the submission document type (initial or amended), the date the NOC was received by EPA, the date of commencement provided by the submitter in the NOC, a notation of the type of amendment (e.g., amendment to generic name, specific name, technical contact information, etc.) and chemical substance identity.

Table III.- NOCs Received from 1/2/2018 to 1/31/2018

Case No.	Received	Commencement	If	Chemical Substance
	Date	Date	Amendment,	
			Type of	
			Amendment	
P-10-0203	1/1/2018	7/1/2010		(G) Hexanedioic acid,
				polymer with alkanediol,
				dimethyl carbonate,
				alkanediol, hydroxy-
				(hydroxyalkyl)-
				alkylpropanoic acid, 1,1'-
				methylenebis[4-
				isocyanatocyclohexane],
				substituted alkyl diamine and
				lactone, compd. with alkyl
D 10 01044	1/5/2010	10/00/0017	G .C.	amine
P-12-0124A	1/5/2018	12/22/2017	Specific	(G) Cyclohexanedicarboxylic
			Name	acid, dialkyl ester
P-13-0193	1/4/2018	4/16/2014		(G) Poly[oxy(methyl-1,2-
				ethanediyl)], .alphahydro-
				.omega[[[dialkyl-
				(morpholinyl)alkylidene]amin
				o]alkylethoxy]-, ether with
				alkyl-(hydroxyalkyl)-
				alkanediol
P-15-0738	1/19/2018	12/30/2017		(S) Siloxanes and Silicones,
				di-Me, 3-(2-
				hydroxyphenyl)propyl group-
				terminated, polymers with
				1,4-benzenedicarbonyl
				dichloride, bisphenol A and
				carbonic dichloride, 4-(1,1-
				dimethylethyl)phenyl esters

D 16 0000	1/00/0010	1/17/2010		(C) D : :1 11 12
P-16-0233	1/23/2018	1/17/2018		(G) Benzoic acid, alkyl-2-
				hydroxyl-,branched and
				linear, monosodium salts
				Benzoic acid, 2-hydroxyalkyl-
				, branched and linear,
				monosodium salts
P-16-0376A	1/19/2018	12/6/2017	Generic Name	(G) Substituted alkyl reaction
1 10 00,011	1,19,2010	12/ 3/201/		products with modified 1-
				(1,1-dimethylethoxy)-4-
				ethenylbenzene-styrene
D 17 0175 A	1/8/2018	11/21/2017	Generic Name	polymer (C) Elyapin et al a amilia
P-17-0175A	1/8/2018	11/21/2017	Generic Name	(G) Fluorinated acrylic
				copolymer
P-17-0190	1/24/2018	1/3/2018		(G) Butanoic acid, 3-oxo-, 2-
				[(2-methyl-1-oxo-2-propen-1-
				yl)oxy]ethyl ester, polymer
				with cycloalkyl 2-methyl-2-
				propenoate, ethenylbenzene,
				2-ethylhexyl
				2- propenoate, methyl 2-
				methyl-2-propenoate and 2-
				methylpropyl 2-methyl-2-
				propenoate
P-17-0237	1/25/2018	1/10/2018		(S) 1,6,10-Dodecatriene, 7,11-
1-17-0237	1/23/2016	1/10/2016		
				dimethyl-3-methylene-, (6E)-,
				homopolymer, hydrogenated,
				2-hydroxyethyl-terminated
P-17-0326	1/19/2018	1/16/2018		(G) Allyloxymethylacrylate
P-18-0026	1/8/2018	1/8/2018		(S) Silsesquioxanes, 2,4,4-
				trimethylpentyl, hydroxy-
				terminated
P-18-0032	1/12/2018	12/14/2017		(G) Alkyl alkenoic acid, alkyl
				ester, polymer with alkyl
				alkenoate, dialkyl alkanediol,
				substituted carbomonocycle,
				disubstituted
				heteromonocycle,
				disubstituted
				heteropolycyclic, alkanediol,
				substituted alkyl alkyl
				alkenoate and substituted
				heteromonocycle, dialkyl
				peroxide initiated

In Table IV. of this unit, EPA provides the following information (to the extent such information is not subject to a CBI claim) on the test information received by EPA during this time period: The EPA case number assigned to the test information; the date the test information was received by EPA, the type of test information submitted, and chemical substance identity.

Table IV. Test Information Received from 1/1/2018 to 1/31/2018

Case	Received	Type of Test	Chemical Substance
No.	Date	Information	
J-18- 0001	1/25/2018	Document describing experiments validating cell inactivation methods. Includes narrative, data	(G) Modified Corynebacterium glutamicum
P-14- 0321	1/19/2018	2-week Whole-Body Inhalation toxicity study (OECD 412)	(S) 2-Chloro-1,1,1,2- Tetrafluoropropane(244bb)
P-16- 0206	1/19/2018	Water Solubility (OECD 105)	(G) Formaldehyde ketone condensate polymer
P-16- 0543	1/25/2018	Air Quality monthly monitoring report	(G) Halogenophosphoric acid metal salt
P-17- 0005	1/4/2018	(1) Test Plan for Inhalation Test (OECD 412)	(S) 1-Tetradecene homopolymer hydrogenated
P-17- 0302	1/25/2018	(1) Read Across Justification (2) Mouse Lymphoma Assay (OECD 476) (3) Chromosome Aberration Assay (OECD 473) (4) Pre-Natal Developmental Assay (OECD 414) (1) 90 Day Repeated Dose Assay (OECD 408)	(G) Neopentyl Glycol Ester of Mixed Linear and Branched Carboxylic Acids

P-17-	1/15/2018	(1) Particle Size	(G) Dicyloalkyl-alkane-di-isocyanate
0364		Distribution	homopolymer, alkyl alcohol and polyalkyl
		Surface Tension Study	glycol mono-alkyl-ether-blocked
P-17-	1/19/2018	(1) Fish Juvenile	(S) Amides, tallow, N,N-bis(2-hydroxypropyl)
0382		Growth (OECD	
		215)	
		(1) Daphia	
		Reproduction	
		Test (OECD 211)	
P-18-	1/22/2018	Local Lymph Node	(S) Glycerides, soya mono- and di-, epoxidized,
0007		Assay (OECD 429)	acetates
		-	
P-18-	1/5/2018	(1) Test study in Male	(G) 1,3,5-Triazine-2,4-Diamine Derivative
0076		and Female Wistar	
		Rats Oral	
		Administration	
		(Gavage)	

If you are interested in information that is not included in these tables, you may contact EPA's technical information contact or general information contact as described above to access additional non-CBI information that may be available.

Authority: 15 U.S.C. 2601 et seq.

Dated: May 4, 2018. **Pamela Myrick,**

Director,

Information Management Division,

Office of Pollution Prevention and Toxics.

[FR Doc. 2018-11194 Filed: 5/23/2018 8:45 am; Publication Date: 5/24/2018]